# Safety Data Sheet



## according to OSHA Hazard Communication 29 CFR Part 1910.1200

according to Regulation (EC) No. 1907/2006 Article 31

## Section 1. Identification

Product Code:

985610

Product Name:

WB WHT STENCIL GUARD

Product Type:

**WB** Paint

Recommended Use:

Traffic Markings

Supplied by:

Ennis-Flint

A Traffic Safety Solutions Company

115 Todd Court

Thomasville, NC 27360

T: 800.331.8118 (For Technical Inquiries)

Emergency Telephone:

1-800-424-9300

## Section 2. Hazard(s) identification

EMERGENCY OVERVIEW: This product contains a component suspected of causing cancer. However, it is in a non-respirable form and inhalation is unlike to occur from exposure. This classification is relevant when exposed to dust or powder form only (e.g.

#### Classification

### Symbol(s) of Product





# Signal Word

Warning

### GHS Named Chemicals On Label

Magnesium silicate (talc), Crystalline Silica, Quartz

#### GHS HAZARD STATEMENTS

STOT, single exposure, category 3, RTI H335 Carcinogenicity, category 2

May cause respiratory irritation. Suspected of causing cancer.

STOT, repeated exposure, category 2

H351 H373

May cause damage to organs through prolonged or repeated exposure.

### GHS PRECAUTIONARY STATEMENTS

P201

Obtain special instructions before use.

P260 P261 P281

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Use personal protective equipment as required.

P308+P313

IF exposed or concerned: Get medical advice/attention.

P312

Call a POISON CENTER or doctor/physician if you feel unwell.

Date Printed: 10/10/2019

P308+P313

IF exposed or concerned: Get medical advice/attention.

# Section 3. Composition/Information on ingredients

			THE RESERVE OF THE PERSON NAMED IN THE PERSON	
Chemical Name Calcium Carbonate Titanium Dioxide	<u>CAS-No.</u> 1317-65-3	<u>Wt. %</u> 50-75	GHS Symbols	GHS Statements
Methanol Crystalline Silica, Quartz Paraffinic Oil Ammonium hydroxide Petroleum distillates,solvent dewaxed lightpara	13463-67-7 67-56-1 14808-60-7 64742-65-0 1336-21-6 ffini64742-56-9	2.5-10 < 5.0 1.0-2.5 0.1-1.0 0.1-1.0 <0.1	GHS02-GHS08 GHS08 GHS05-GHS07 GHS08	H225-370 H350 H302-314-335 H350

Chaminalay				
Chemical Name Calcium Carbonate Titanium Dioxide Methanol Crystalline Silica, Quartz Paraffinic Oil Ammonium hydroxide Petroleum distillates, solvent dewaxed lightparaffinic	CAS-No. 1317-65-3 13463-67-7 67-56-1 14808-60-7 64742-65-0 1336-21-6	EINECS No. 215-279-6 236-675-5 200-659-6 238-878-4 265-169-7 215-647-6	REACH Reg No. not available not available 01-2119433307-44-XXXX not available not available not available	M-Factors 0 0 0 0 0 0 0 0

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

## Section 4. First-aid measures

FIRST AID - INHALATION: Move to fresh air. Consult a physician if symptoms persist.

FIRST AID - SKIN CONTACT: Wash affected area immediately with soap and plenty of water. Remove contaminated clothing and launder before reuse. Consult a physician if symptoms persist.

FIRST AID - EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician if symptoms persist.

FIRST AID - INGESTION: Do NOT induce vomiting. If conscious, rinse mouth and drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

# Section 5. Fire-fighting measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: None expected.

SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

# Section 6. Accidental release measures

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use personal protective equipment. Ensure adequate ventilation. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically. Keep in suitable and closed containers for disposal.

# Section 7. Handling and storage





**HANDLING:** Ensure adequate ventilation. Avoid breathing vapor, mists or dust. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Observe good industrial hygiene practices. Avoid dust formation.

Date Printed: 6/17/2016

985610

Name

Percentage

VME mg/m3

VME ppm

OEL Nota

No hazardous items exist

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

### Personal Protection



RESPIRATORY PROTECTION: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.



SKIN PROTECTION: Protective gloves



EYE PROTECTION: Safety glasses with side-shields.



OTHER PROTECTIVE EQUIPMENT: Eyewash stations, safety showers, ventilation systems.



**HYGIENIC PRACTICES:** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

# Section 9. Physical and chemical properties

Appearance:

Odor:

off-white

Physical State:

Liquid

Density, g/cm3:

Slight, Ammonia

Odor Threshold: pH:

Not Established

Density, g/cm3:

1.668

Viscosity:

>10

Freeze Point, °C: Solubility in Water:

NI

Viscosity.

NI

Colubility in water:

Insoluble

Partition Coefficient, n-octanol/

NI

Decompostion Temp., °C:

NI

water:

Boiling Point, °C: Combustibility:

N.I.

Explosive Limits, vol%:

N.I.

Evaporation Rate:

Does not Support Combustion Slower than Diethyl Ether

Flash Point, °C:
Auto-ignition Temp., °C:

>94 NI

Vapor Density:

Heavier than air

Vapor Pressure:

NI

(See "Other information" Section for abbreviation legend)

# Section 10. Stability and reactivity

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Dust formation. Do not freeze.

INCOMPATIBILITY: None known based on information supplied.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides. Nitrogen oxides. HAZARDOUS POLYMERIZATION: Hazardous polymerization does not occur.

# Section 11. Toxicological information

#### Section 10. Stability and reactivity

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Dust formation. Do not freeze.

INCOMPATIBILITY: None known based on information supplied.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides. Nitrogen oxides.

HAZARDOUS POLYMERIZATION: Hazardous polymerization does not occur.

## Section 11. Toxicological information

#### Practical Experiences

EFFECT OF OVEREXPOSURE - INHALATION: Inhalation may cause irritation to the respiratory tract (nose, mouth, mucous membranes). May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Sanding and grinding dust may be harmful if inhaled.

EFFECT OF OVEREXPOSURE - SKIN CONTACT: Direct skin contact may cause irritation.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Direct eye contact may cause irritation.

**EFFECT OF OVEREXPOSURE - INGESTION:** Ingestion may cause irritation to mucous membranes. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea. May cause gastrointestinal disturbances with dizziness and central nervous system depression.

EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS: This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. Inhalation exposure to respirable levels of crystalline silica may cause respiratory impairment and lung damage. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen. Inhalation, ingestion, or skin absorption of methanol can

#### **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No. 1317-65-3 13463-67-7 67-56-1 14808-60-7 64742-65-0 1336-21-6 64742-56-9	Name according to EEC Calcium Carbonate Titanium Dioxide Methanol Crystalline Silica, Quartz Paraffinic Oil Ammonium hydroxide Petroleum distillates, solvent dewaxed	Oral LD50 > 2000 mg/kg >10000 mg/kg Rat 6200 mg/kg Rat >2000 mg/kg >15000 mg/kg Rat 350 mg/kg Rat >5000 mg/kg Rat	Dermal LD50 > 2000 mg/kg N.I. 15840 mg/kg Rabbit > 2000 mg/kg > 2000 mg/kg > 2000 mg/kg	Gas LC50 >20001 ppm >20001 ppm 22500 ppm Rat >20001 ppm >20001 ppm >20001 ppm
	lightparaffinic	-5000 mg/kg Rat	>5000 mg/kg Rabbit	N.I.

N.I. - No Information

## Section 12. Ecological information

ECOLOGICAL INFORMATION: The environmental impact of this product has not been fully investigated.

#### Further Ecological Information

Contains the following ingredients which are classified as water dangerous according to EEC directive No. 76/464/EEC in percentages > 1%.

CAS-No. 13463-67-7 67-56-1 14808-60-7 1336-21-6	Name according to EEC Titanium Dioxide Methanol Crystalline Silica, Quartz Ammonium hydroxide	Bio. Conc. Factor (BCF) not available 1 not available	Octanol-water par. Coeff (KOW) not available -0.77 not available
Ammonium nydroxide	Animonium nydroxide	not available	not available

#### Road Transport

UN Number:

ADR/RID Class:

Packing Group:

Shipping Name:

Primary Shipping Hazard:

Road Tunnel Transport Code:

Not regulated

Not regulated

No Information Not regulated

No Information

Not regulated

#### Sea Transport

UN Number:

IMDG/GGVSee Class:

EmS-No:

Packing Group:

Shipping Name: Primary Shipping Hazard:

Marine Pollutant:

Shipping Hazard(Marine Pollutant):

Not regulated

Not regulated Not regulated

No Information

Not regulated

No Information Not A Marine Pollutant

No Information

#### Air Transport

**UN Number:** 

ICAO/IATA Class:

Packing Group: Shipping Name:

Primary Shipping Hazard:

Not regulated

Not regulated No Information

Not regulated

No Information

## Section 15. Regulatory information

## U.S. Federal Regulations:

## CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Chronic Health Hazard

#### SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

## **Chemical Name**

CAS-No.

Ammonium hydroxide

1336-21-6

## TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from

#### **Chemical Name**

Magnesium silicate (talc) Crystalline Silica, Quartz

2((Hydroxymethyl)amino)ethanol Ammonium hydroxide

CAS-No. 14807-96-6

14808-60-7 34375-28-5

1336-21-6

## U.S. State Regulations:

### **NEW JERSEY RIGHT-TO-KNOW:**


The following materials are non-hazardous, but are among the top five components in this product.

#### **Chemical Name**

CAS-No.

# Hazardous Material Information System (HMIS)

# National Fire Protection Association (NFPA)



DISCLAIMER: THIS INFORMATION CONTAINED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ACCURATE. HOWEVER, SINCE

Date Prepared: 7/25/2016

Reviewer Revision

Date Printed: 6/17/2016

985610

Spain

Storage Conditions:

No Information

Switzerland

VOC-Value:

0.00

**United Kingdom** 

Storage Conditions:

No Information

# Section 16. Other information, including date of preparation of the last revision

Revision Date:

6/16/2016

Supercedes Date:

Hazards:

5/24/2016

Reason for revision:

Substance Chemical Name Changed

1

Datasheet produced by:

Regulatory Department

HMIS Ratings:

Health: Flammability:

Reactivity:

Personal Protection:

NFPA Ratings:

Health: Flammability: Reactivity:

0

N.I.

Volatile Organic Compounds, gr/ltr:

1

# Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H335

May cause respiratory irritation.

H351 H373

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

Icons for GHS Pictograms shown in Section 3 describing each ingredient:

GHS07



GHS08



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product where instructions and recommendations are not followed. Any use of the product not in conformance with this SDS or in combination with any other product GHS08

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product where instructions and or process is the responsibility of the user.